901 45th Street, Kimmel Building West Palm Beach, FL 33407 P: 561-844-5255 F: 561-844-5945

Liana Leja, RN & Lauren Kelleher, PA-C Ext 247 www.cartilagerepaircenter.org www.paleyinstitute.org

Weight-bearing Femoral Condyle

Autologous Chondrocyte Transplantation Stage 2 – Transitional Phase (weeks 7-12)

PRECAUTIONS

- •No leg presses or squats
- •No resistance on stationary bike until cleared by MD

WEIGHTBEARING • Progress to FWBAT using the following guidelines

Weeks 7&8 PWB 1/3 Body Weight PWB 2/3 Body Weight Weeks 9 & 10 FWB with crutches Weeks 11 & 12

Single crutch, cane, as tolerated Week 13+

*Note: These are simply guidelines. Some patients will progress quicker than others.

BRACE

•DC hinged knee brace once independent SLR achieved

ROM

- •PROM /AAROM/ AROM
- •DC CPM
- •Goal: Full ROM by 12 weeks post-op

EXERCISES/ **MODALITIES**

- •Advance stage 1 exercises with weights/ bands
- •Progress gait training with weight bearing
- Advance pool exercises
- •Week 9-10: Gentle closed-chain terminal knee extension 0-40 degrees (TKE) per weight bearing restriction
- •Permitted to begin blood flow restriction (BFR) strengthening
- •Continue stage 1 modalities